

Receiving Report

Date: 13-01-30 Batch No: 124445.
 Supplier: Camp Steel Dart P/O: 18937

Packing Slip: Yes ☒ No ☐ Release Note Attached: Yes ☒ No ☐ N/A ☐
 Invoice: Yes ☒ No ☐ Waybill Attached: Yes ☐ No ☒ N/A ☐
 Receipt: Cash ☐ Cr ☒ Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection ☒ N/A ☒
 Work Order 131131 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
<u>M5052 H</u> <u>225.040</u>	<u>5052 H 32 040</u> <u>Sheet</u>	<u>96</u>	<u>64</u>		<u>32</u>	

Initials of receiver (if shipment OK) Level 12

Production/Admin: 1301-30
 Date
 Received/Costing
 Initial SP

Location

Purchase Order Receipt Listing

Wednesday, January 30, 2013 10:56:18 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO18937 Receipt Dates from 1/30/2013 to 1/30/2013 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M/ Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-CAM002 Campi Steel											
PO18937	3		M304S11GA	sf	1/29/2013	1/30/2013	192.0000	\$11.13	0.0000	0	\$2,137.23
CAD	No		304/316 0.125 Sheet	sf	192.0000	DESJ02		\$2,137.23	0.0000	0	
			124445								
	5		M304S188	sf	1/29/2013	1/30/2013	64.0000	\$20.73	0.0000	0	\$1,326.73
	No		304 SHEET 0.188	sf	64.0000	DESJ02		\$1,326.73	0.0000	0	
			124445								
	6		M5052H32S.040	sf	1/29/2013	1/30/2013	64.0000	\$1.52	0.0000	0	\$97.49
	No		5052-H32.040 Sheet	sf	96.0000	DESJ02		\$97.49	0.0000	0	
			124445								
	7		M5052H32S.080	sf	1/29/2013	1/30/2013	32.0000	\$3.71	0.0000	0	\$118.77
	No		5052-H32.080 Sheet	sf	32.0000	DESJ02		\$118.77	0.0000	0	
			124445								

Total Received Quantity: 352.0000
Total Qty to Inspect (PO U/M): 0.0000
Total Reject Quantity: 0.0000
Total Receipt Value: \$3,680.23
Total Balance Due Quantity: 32.0000



TÉLÉPHONE : 450 377-4248
FAX : 450 377-5696

MONTREAL : 514 336-4248
FAX : 514 336-4246

DISTRIBUTEUR D'ACIER ET MÉTAUX SPÉCIALISÉS
STEEL AND SPECIALTY METALS DISTRIBUTOR

ONTARIO : 1 800 667-4248
FAX : 1 866 456-4242

54719 57718 "ZER" On a du Savoir

EXPÉDIEZ À / SHIP TO:

613-632-5200 613-632-1053

ORDER
N° 212534

DART AEROSPACE LTD.
1270 ABERDEEN STREET
HAWKESBURY,
ONTARIO
K6A 1K7

DART AEROSPACE LTD
1270 ABERDEEN STREET
HAMMERSBURY,
ONTARIO
K6A 1K7

LEADLINE

VOIRE N° DE COMMANDE / YOUR P.O. N°

VOTRE N° DE COMMANDE / YOUR P.O. N°	VEND. / SALESM.	CODE CLIENT / CUST. CODE	EXPÉDIE PAR / SHIP VIA
-------------------------------------	-----------------	--------------------------	------------------------

PRICES / TERMS

REMARKS / REMARKS

2.

№ 1

CODE DE PRODUIT PRODUCT CODE	COMMANDE ORDERED	EXPÉDIE SHIPPED	DESCRIPTION	POIDS WEIGHT	PRIX PRICE	PAR PER	MONTANT AMOUNT
			WILL TEST REQUIS				
PES4010	15	11/4/98	5.5" 304 20 11 JA 40 X 36 5.5 X 4" X 0"	1009.000			
	2	2/4/98	PLATE 505-304 20 3/16" THICK 2 X 4" X 0"	2.000			
	2	2/4/98	PLATE ALU 5052H32 .040" 2 X 4" X 0"	2.000			
	1	1/4/98	PALETTE INCLUDE PLATE ALU 5052H32 .080" 1 X 4" X 0"	1.000			

CONDITIONS:

[illegible]

CONDITIONS:

CONDITIONS:

* ALL SOLD AND DELIVERED MATERIALS REMAIN THE PROPERTY OF WATER CAMP INC. UNTIL PAYMENT IS MADE IN FULL. COMPLETE AND CASHED.
* ALL RETURNS MUST BE RECEIVED WITHIN 60 DAYS OF THE DATE OF PURCHASE. RETURNED GOODS WILL NOT BE REFUNDABLE.
* ALL MATERIALS BEAR THE SAME WARRANTY AS GIVEN BY THE MANUFACTURER.
* ALL "LOST" MATERIALS ARE AT THE BUYERS EXPENSE.
* THE BUYER HEREBY AGREES TO RESPECT THE ADMINISTRATIVE CHARGES OF 8% PER MONTH OR 24% PER ANNUM ON ALL PAST DUE ACCOUNTS OVER 30 DAYS. * ANY DEFAULT IN RESPECT WITH
THE SELLER'S CONTRACT WILL LEAD TO PAYMENT BY ACCELERATION AND PERMITS TO THE SELLER, AT HIS CHOICE TO CLAIM FOR THE BALANCE DUE OR THE
REPOSSESSION OF THE GOODS SOLD. * ANY CLAIM MUST BE MADE WITHIN FIVE DAYS WITH THIS DOCUMENT ENCLOSED. * ANY MERCHANDISE THAT
HAS BEEN DAMAGED, CUT OR MODIFIED CANNOT BE RETURNED. * ALL GOODS RETURNED MUST BE WITH OUR AUTHORIZATION AND ARE SUBJECT
TO A 20% RESTOCKING CHARGE.

PRÉPARÉ / PREPARED.	VÉRIFIÉ / VERIFIED

LIVRÉ / DELIVERED HEURE / TIME

IN GOOD CONDITION		J/D
A/Y	M/M	

PAR
RV




0129

N° ENR. TPS / GST REG. N° R 185 534 717 • N° ENR. TVQ / QST REG. N° 1 015 668 543

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

DATE _____

TOTAL



935, boul. du Havre
Valleyfield (Québec)
J6S 5L1

MONTREAL : 514 336-4248
FAX : 514 336-4246

On a du Savoir "FER"

EXPÉDIEZ À / SHIP TO:

DART AEROSPACE T.M.

1270 ABERDEEN STREET

HAWKESBURY

CONTAPTO

86A 187

CODE DE PRODUIT PRODUCT CODE	COMMANDE ORDERED	EXPÉDIE SHIPPED	DESCRIPTION	POIDS WEIGHT	PRIX PRICE	PAR PER	MONTANT AMOUNT
PSS 4818	6	6	S.S. 304 2B 11 JA 48 X 96 6 X 4' X 8' HEAT: 874878	1008.00	210.950	CLB	2126.38
	2	2	PLATE SS-304 2B 3/16" THICK 2 X 4' X 8' HEAT: ESP2	2.00	660.000		1320.00
	2	2	PLATE ALU 5052H32 .040" 2 X 4' X 8' HEAT: 1204715680 PALETTE INCLUDE	2.00	72.750		145.50
	1	1	PLATE ALU 5052H32 .080"	1.00	118.150		118.15

Unités de mesure Units of measure	CLB Cent'livres Hundred pounds	CPI Cent'pounds Hundred feet	Unités Unit	PI Pied Foot	Pied carré Square foot	PC Pied Foot
--------------------------------------	--------------------------------------	------------------------------------	----------------	--------------------	---------------------------	--------------------

CONDITIONS:

[illegible]

MARCHANDISE RECUE EN BONNE CONDITION. MERCHANDISE RECEIVED IN GOOD CONDITION.

PRÉPARÉ / PREPARED.	VERIFIÉ / VERIFIED	LIVRÉ / DELIVERED	HEURE / TIME
PAR BY	PAR BY	PAR BY	

N° ENR. TPS / GST REG. N° R 135 634 717 • N° ENR. TVQ / QST REG. N° 1 015 888 543

SIGNATURE OF CLIENT / CUSTOMER'S SIGNATURE


DATE _____

SOUS-TOTAL
SUB TOTAL

T.P.S.
G.S.T.

T.V.Q. / T.V.H.
Q.S.T. / H.S.T.

TOTAL



935, boul. du Havre
Valleyfield (Québec)
J6S 5L1

TÉLÉPHONE : 450 377-4248
FAX : 450 377-5696

J6S 5L1

On a du Savoir "FER"

ONTARIO: 1 800 667-4248
FAX: 1 866 456-4242

VENDU À / SOLD TO:

EXPÉDIEZ À / SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN STREET

1270 ABERDEEN STREET

HAWKESBURY,

HAWKESBURY,

ONTARIO

ONTARIO

K6A 1K7

K6A 1K7

613-632-5200

613-632-1053

VOTRE N° DE COMMANDE / YOUR P.O. N°	VEND. / SALESMAN	CODE CLIENT / CUST. CODE	EXPÉDIE PAR / SHIP VIA	TERMES / TERMS	REMARQUES / REMARKS	PAGE N°
PO 18937	V	DAER		NET 30 JOURS	2R	002

CODE DE PRODUIT PRODUCT CODE	COMMANDE ORDERED	EXPEDIE SHIPPED	1 X 4' X 8'	DESCRIPTION	POIDS WEIGHT	PRIX PRICE	PAR ★ PER	MONTANT AMOUNT
			HEAT: (12077050E0)					

CONDITIONS:

CONDITIONS:

[illegible]

PRÉPARÉ / PREPARED.	VÉRIFIÉ / VERIFIED
---------------------	--------------------

LIVRÉ / DELIVERED

	PAR	PAR
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

PAR

N° ENR. TPS / GST REG. N° R 135 634 717 • N° ENR. TVQ / QST REG. N° 1 015 988 543

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

DATE _____

MARCHANDISE RECUE EN BONNE CONDITION MERCHANDISE RECEIVED IN GOOD CONDITION

A/Y M/M 1/D

SOUS-TOTAL	3710.03
SUB TOTAL	

T.P.S.	G.S.T.
0.00	

T.V.Q. / T.V.H.
Q.S.T. / H.S.T.

TOTAL 4192.34



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1953

PURCHASE ORDER

Purchase Order ID PO18937

Purchase Order Date 1/24/13

PO Print Date 1/24/13

Page Number 1 of 3

Order From :

VC-CAM002

CAMPI STEEL
935 BOUL. DU HAVRE
VALLEYFIELD, QC J6S 5L1
CA

Contact Name
Vendor Phone 800 667 4248
Vendor Fax 450 377 5696
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Ship To :

DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
1/30/13

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M1010S16GA ✓	1010/1025 sheet 16GA	1/29/13 Yes	256.00 sf	Yours ppd	✓ \$1.7988	\$460.48
		Special Inst: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W MINIMUM YIELD TENSILE STRENGTH= 28KSI MINIMUM ULTIMATE TENSILE STRENGTH= 42KSI COLD ROLLED					
2	M1010S18GA ✓	1010/1025 SHEET 18GA	1/29/13 Yes	✓ 128.00 sf	Yours ppd	\$1.4390	\$184.19
		Special Inst: SAME AS ABOVE					
3	M304S11GA	304/316 0.125 Sheet	1/29/13 Yes	✓ 192.00 sf	Yours ppd	\$11.0749	\$2,126.39

881301-20

Change Nbr: 1

Change Date: 1/24/13

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required **YES** NO

RT
spaceDart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053**PURCHASE ORDER**

Purchase Order ID PO18937

Purchase Order Date 1/24/13

PO Print Date 1/24/13

Page Number 2 of 3

VC-CAM002

STEEL
BOUL. DU HAVRE
LEYFIELD, QC J6S 5L1

Contact Name

Vendor Phone

800 667 4248

Vendor Fax

450 377 5696

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Special Inst:MATERIAL: AISI 304/316 SS SHEET
ANNEALED 2B FINISH
AS MIL-S-5059 OR AMS 5513 (304) OR
AMS 5524 (316)
OR ASTM A240 OR ASME SA240

4

M304S16GA ✓

304/316 Sheet .063

1/29/13

Yes

192.00

sf

Yours ppd

\$6.3512

\$1,219.43

Special Inst:

SAME AS ABOVE

5

M304SI88 ✓

304 SHEET 0.188

1/29/13

Yes

64.00

sf

Yours ppd

\$20.6250

\$1,320.00

Special Inst:

SAME AS ABOVE

6

M5052H32S.040

5052-H32 .040 Sheet

1/29/13

Yes

96.00

sf

Yours ppd

\$1.5156

\$145.50

Special Inst:MATERIAL: 5052H32 ALUMINUM SHEET
AS PER QQ-A-250/8 OR AMS-QQ-A-250/8
OR AMS 4016
OR ASTM B209

7

M5052H32S.080

5052-H32 .080 Sheet

1/29/13

Yes

32.00

sf

Yours ppd

\$3.6928

\$118.17

Special Inst:

SAME AS ABOVE

8

M1018R0.375 ✓

1010-1025 round bar .375

1/29/13

Yes

12.00

f

Yours ppd

\$0.3608

\$4.33

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 1

Change Date: 1/24/13

**INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION**
nach / according to / suivant
EN 10204-3.1

1000409088 /

Seite / Page / Page:

1 / 1

54270

Oberschießensstrasse 16, 47807 Krefeld

Besteller/Empfänger / Customer/Consignee / Acheteur/Destataire

THYSSENKRUPP STAINLESS USA, LL, Calvert, Ala

Kundenbest.-Nr. / Customer's order number / Numéro de la commande du client

51003755

Werkauftrag-Nr. / Manufacturer's work order no. / N° de la commande de l'usine productrice

900432599 / 001

Lieferanzugs-Nr. / Delivery Note No. / Avis d'expédition N°

87484065 / 010

Erzeugnis / Product / Produit

BLRCH/SHEET/TOLE

Lieferbedingungen / Terms of delivery / Conditions de livraison

ASTM A 688-10

SAE AMS 5813 J

ASTM A 240/A 240M

ASME SA 240/SA 240M Sec.II Part A Ed.2010 Add.11

Stahlsorte und Gütegruppe / Steel grade and quality / Nuance de l'acier

Type 304

Kundenmaterial-Nr.
Customer's material number
N° de matière du client

P202017

Maße des Erzeugnisses (Dicke / Breite / Länge)
Product dimensions (Thickness / Width / Length)
Dimensions du produit (Epaisseur / Largeur / longueur)

0.1173 inch x 48.0000 inch x 96.0000 inch

Herstell.
Manufacturing proc.
Mode d'élabor.

AOD

Ausführung
Finish
Fini

IIIc / 2B

Paket-Nr.
Packing-No.
N° Paquets

8510762

Stückzahl
No of pieces
N° de pièces

21

Br.-Gewicht
Actual weight
Masse effective

3.342 lbs

Ident.-Nr. Erzeugnis
Ident.-No of product
Ident.-N° du produit

257140

Schmelz-Nr.
Cast number
Id. de la coulée

874878

Proben-Id.
Sample Id.
Empl. du prélèvement

1002679320

Proben-Id.
Sample Id.
Empl. du prélèvement

1002679321

Chemische Zusammensetzung / Chemical composition / Composition chimique

Schmelz-Nr. / Cast no.	% C	% Si	% Mn	% P	% S	% Cr	% Ni	% N	% Mo	% Cu
874878	0.037	0.38	1.27	0.025	0.0020	18.39	8.01	0.059	0.17	0.46

Prüfung/Inspection lot
Lot de contrôle
Proben-Id. / Lage
Sample Id. / Position
Ident./empl. du
prélèvement

QUER

Y60,2%	Y61,0	TS	EL .A2"	HV	HRB					
PSI	PSI	PSI	%	HV	HRB					
1002679320	47861	52792	91660	59.7	164	81.0				
1002679321	47280	52212	91080	59.8	163	81.0				

Beständig gegen Intermet. Korros./Resistant to intermet. corros./Résistant à la corros. intermet.:

EN ISO 3651-2 I.O.

ASTM A 262 PRACTICE E I.O.

Maße-Oberfläche/Dimensions-Surface/Dimensions-Surface:

I.O.

Verwechslungsprüfung (Spektralanalyse)/Test of identity (spectrum analysis)/Contrôle d'identification (analyse spectrale):

I.O.

WÄRMEBEHANDLUNG : 1050 GRAD C / LUFT

TRAITEMENT THERMIQUE : 1050 GRAD C / AIR

HEAT - TREATMENT : 1050 DEGREE / AIR

TKNM 874878.PDF

Aussteller der Bescheinigung / Originator of the document / Auteur du document

ThyssenKrupp Nirosta GmbH
Dieses Zeugnis wurde
maschinell erstellt
Werk Krefeld

Butzen

Abnahmebeauftragter
Inspector / Expert
Tel: 02151-832447
Fax: 02151-834108

Stempel des (der) Abnahmebeauftragten
Receiving agent's stamp
Poinçon de l'agent réceptionnaire



Datum der Ausstellung und Bestätigung
Date of issue and validation
date d'émission et validation

24.08.2012

1202021

RAPPORT D'ANALYSE

From: NORTH AMERICAN STAINLESS CANADA, IN
740 IMPERIAL ROAD NORTH
GUELPH , ONN1K1Z3

Page : 1
Heat/Lot : E5P2
TIN : 05E5P2A

Sold To:

Ship To:

Vendor Information

Cust PO #: 34681

Cust PO DT: 11/28/12

Specifications

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30403
ASTM A240/11b, A480/11b, A666/10; ASME SA240/11a, SA480/11a, SA666/11a
CHEM ONLY ON FOLLOWING ASTM: A276/10, A479/11, A484/11, A312/11
CHEM ONLY ON FOLLOWING ASME: SA312/11, SA479/11
AMS 5511H/5513J XMRK; MIL-5059D AMD3 (X CRN MEAS); MIL-4043B
NACE MR0175/ISO 15156-3:2003 A, MR0103/07; QQS766D-A X MAG PERM
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED
CORROSION: ASTM A262/02aE; 180Bend-OK
Buyer Part: 74376807
304/304L 2B .182 IN 48 IN
UNITED STATES

8/31/31

Mechanical Tests

		UOM	L	O	UOM	L	O
Yield Strength - 0.2% Offset	47.45	KSI	F	TRANSV			
Tensile Strength (UTS)	92.4	KSI	F	TRANSV			
Rockwell B	86		F	TRANSV			
Four cent D'longation 50mm	51.43	PCT	F	TRANSV			
Rockwell B	87		T	TRANSV			

Chemical Composition

C Carbon-	.021	CR	Chromium-	18.070
CU Copper-	.442	MN	Manganese-	1.772
MO Molybdenum-	.321	N	Nitrogen-	.069

RAPPORT D'ANALYSE

From: NORTH AMERICAN STAINLESS CANADA, IN
740 IMPERIAL ROAD NORTH
GUELPH , ONN1K1Z3

Page : 2
Heat/Lot : E5P2
TIN : 05ESP2A

Chemical Composition(Cont.)

NI Nickel-	8.043	P Phosphorus-	.030
S Sulfur-	.001	SI Silicon-	.367

Comments

Mat'l is Free of Mercury Contamination. No weld repairs.
EN 10204:2004 3.1; RoHS Compliant
Material is Free of Radioactive Contamination
NAS Steel Making Process: EAF, AOD, & Cont. Casting
Product Mfg.by a Quality Mgt.Sys. in Conf. w/ISO 9001
Melted & Manufactured in the USA; Mat'l is DFARS Compliant
NAS hereby certifies that the analysis on this certification
is correct and the material meets the specifications stated.

QA by ERIC HESS 11/26/2012

Miscellaneous Data

Control #: X6FK1554
S.O. Number :8X6 301023 2
FEU INOX DC304L-2B
.1874 X 48 X 96

Date: 01/28/13

Customer P.O.: 54718/54738

Les données sur la composition chimique et
les propriétés mécaniques
ont été reçues du fournisseur ci-haut
mentionné via EDI.

RYERSON CANADA, INC.

**NORTH AMERICAN STAINLESS
6870 HIGHWAY 42 EAST
CHENT, KY 41045**

101 4748

Date: 11/26/2012 Page: 1

TP03/304L 100-15

Final: 2B

Corrosion: ASTM A162/02aE; 180Bend-OK

BTComer: 001033 001

Order: 724848

NSA Order: DS 0001967 02

REMARKS:

Mat'l is Free of Mercury Contaminant

EM 10204:2004 3.1; MOHS Contamination

Material is Fibre or woven fabric.

Product Mfg. by a Quality Mat. Sys. In Cont. w/100

Manufactured in the USA; and

Part	Pieces	Commodity Code
1	1	8471.30.00
2	1	8471.30.00
3	1	8471.30.00
4	1	8471.30.00
5	1	8471.30.00
6	1	8471.30.00
7	1	8471.30.00
8	1	8471.30.00
9	1	8471.30.00
10	1	8471.30.00
11	1	8471.30.00
12	1	8471.30.00
13	1	8471.30.00
14	1	8471.30.00
15	1	8471.30.00
16	1	8471.30.00
17	1	8471.30.00
18	1	8471.30.00
19	1	8471.30.00
20	1	8471.30.00
21	1	8471.30.00
22	1	8471.30.00
23	1	8471.30.00
24	1	8471.30.00
25	1	8471.30.00
26	1	8471.30.00
27	1	8471.30.00
28	1	8471.30.00
29	1	8471.30.00
30	1	8471.30.00
31	1	8471.30.00
32	1	8471.30.00
33	1	8471.30.00
34	1	8471.30.00
35	1	8471.30.00
36	1	8471.30.00
37	1	8471.30.00
38	1	8471.30.00
39	1	8471.30.00
40	1	8471.30.00
41	1	8471.30.00
42	1	8471.30.00
43	1	8471.30.00
44	1	8471.30.00
45	1	8471.30.00
46	1	8471.30.00
47	1	8471.30.00
48	1	8471.30.00
49	1	8471.30.00
50	1	8471.30.00
51	1	8471.30.00
52	1	8471.30.00
53	1	8471.30.00
54	1	8471.30.00
55	1	8471.30.00
56	1	8471.30.00
57	1	8471.30.00
58	1	8471.30.00
59	1	8471.30.00
60	1	8471.30.00
61	1	8471.30.00
62	1	8471.30.00
63	1	8471.30.00
64	1	8471.30.00
65	1	8471.30.00
66	1	8471.30.00
67	1	8471.30.00
68	1	8471.30.00
69	1	8471.30.00
70	1	8471.30.00
71	1	8471.30.00
72	1	8471.30.00
73	1	8471.30.00
74	1	8471.30.00
75	1	8471.30.00
76	1	8471.30.00
77	1	8471.30.00
78	1	8471.30.00
79	1	8471.30.00
80	1	8471.30.00
81	1	8471.30.00
82	1	8471.30.00
83	1	8471.30.00
84	1	8471.30.00
85	1	8471.30.00
86	1	8471.30.00
87	1	8471.30.00
88	1	8471.30.00
89	1	8471.30.00
90	1	8471.30.00
91	1	8471.30.00
92	1	8471.30.00
93	1	8471.30.00
94	1	8471.30.00
95	1	8471.30.00
96	1	8471.30.00
97	1	8471.30.00
98	1	8471.30.00
99	1	8471.30.00
100	1	8471.30.00

Length	MIN	MAX
1	74976807	

3	1	2
1	2	3

1. The first part of the paper is devoted to the study of the properties of the function $f(x)$ defined by the equation $f(x) = \sum_{n=0}^{\infty} \frac{f_n(x)}{n!}$, where $f_n(x)$ are the solutions of the system of equations $f_n'(x) = -f_n(x) + f_{n+1}(x)$, $f_0(x) = 1$. It is shown that the function $f(x)$ is a solution of the equation $f(x) = e^{-x} \int_0^{\infty} e^{xt} f(t) dt$.

Chemical Analysis per ASTM

ZA(South Africa) JP(Japan)

N %	MI %	P %	B %
100	100	100	100
95	95	95	95
90	90	90	90
85	85	85	85
80	80	80	80
75	75	75	75
70	70	70	70
65	65	65	65
60	60	60	60
55	55	55	55
50	50	50	50
45	45	45	45
40	40	40	40
35	35	35	35
30	30	30	30
25	25	25	25
20	20	20	20
15	15	15	15
10	10	10	10
5	5	5	5
0	0	0	0

0574	B-0430	.0295	.0010
------	--------	-------	-------

100

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	52
--	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	----

α	β	γ	δ	ϵ	ζ	η	θ	ι	κ	λ	μ	ν	ξ	\omicron	π	ρ	σ	τ	υ	ϕ	χ	ψ	ω
0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0																			

[illegible]

[The page contains extremely faint, illegible text, likely bleed-through from the reverse side.]

100

1

2.

1

0000

11

Technical

1
Dept. Mgr.
ERIC HESS
available only to the members of NAS

prova di NAS.



C6578d

CERTIFIED MILL TEST/QUALITY CONTROL CERTIFICATE

PT. ALUMINDO LIGHT METAL INDUSTRY, Tbk
DK. SAWOTRATAP GEDANGAN SIDOARJO 61254, INDONESIA

ORIGINAL

Customer	Address	Product Type
		PREMI ALUMINUM COIL

Description of Product

Coil No	Unique Heat Number	Dimensions	Weight kg	Alloy	Temper	Al	Cu	Mg	Si	Fe	Mn	Zn	Ti	Cr	Boor (%)	UTS	Yield	Boor Test
48	1204715886	2400 X 48" X COIL	5.7810	6062	H-32	98.25	0.03	2.52	0.15	0.28	0.03	0.00	0.01	0.16	10	31.5	28.8	Good
48	1204715880	2400 X 48" X COIL	5.4190	6062	H-32	98.28	0.03	2.53	0.15	0.28	0.03	0.00	0.01	0.16	10	31.5	28.8	Good
10	1205078880	2087 X 36" X COIL	3.2040	6062	H-32	98.67	0.01	2.87	0.13	0.31	0.06	0.00	0.01	0.18	12	32.5	27.7	Good

INDICATING ACTUAL MILL CHEMICAL AND MECHANICAL PROPERTY TEST REPORTS
IN MATERIAL MANUFACTURE REQUIRED PER ENQ INDICATING A UNIQUE HEAT NUMBER
COUNTRY OF MEET AND MANUFACTURE: INDONESIA

D134096

PT. ALUMINDO LIGHT METAL INDUSTRY, Tbk
note Jaya
Q. Insulation

ALU1231603

ALU1231603

MATERIAL CONFORMS FOR ALLOY 6062 H-32 ALUMINUM
ASSOCIATION STANDARDS, ASTM B-208 (UNS COIL, SHEET) AND AMS-4036



CERTIFIED MILL TESTQUALITY CONTROL CERTIFICATE

PT. ALUMINDO LIGHT METAL INDUSTRY, TBK

DS. SAWOTRATAP GEDANGAN SIDOARJO 61254, INDONESIA

CGS 360

Customer	Address	Product Type
		PRIME ALUMINUM SHEET

L/C NO.: IM00089491
D.O. : 120723
ISSUED BY: RABOBANK NEDERLAND
NEW YORK, NY UNITED STATES
RELEASE ORDER NUMBER : RT138614

July 24 2012

Description of Product

Cast No	Unique Heat Number	Dimension	Weight MT	Alloy	Temper	Al	Cu	Mg	Si	Fe	Mn	Zn	Ti	Cr	Elong (%)	UTS MPa	Yield MPa	Bend Test
1A	1207004700	0.80' X 48' X 90"	1.7480	5082	H-32	96.78	0.02	2.58	0.12	0.25	0.04	0.00	0.01	0.17	12	31.3	27.6	Good
2A	1207705020	0.80' X 48' X 90"	1.7430	5082	H-32	96.85	0.01	2.50	0.11	0.29	0.03	0.00	0.01	0.18	12	33.8	28.0	Good
3A	1207705020	0.80' X 48' X 90"	1.1440	5082	H-32	96.85	0.01	2.50	0.11	0.29	0.03	0.00	0.01	0.18	12	33.8	28.0	Good
2B	1207710320	1.00' X 48' X 90"	1.5150	5082	H-32	96.75	0.02	2.46	0.15	0.39	0.06	0.00	0.01	0.16	12	32.9	27.5	Good
3B	1207710320	1.00' X 48' X 90"	1.7690	5082	H-32	96.75	0.02	2.46	0.15	0.39	0.06	0.00	0.01	0.16	12	32.9	27.5	Good
4B	1207710320	1.00' X 48' X 90"	1.7730	5082	H-32	96.75	0.02	2.46	0.15	0.39	0.06	0.00	0.01	0.16	12	32.9	27.5	Good

INDICATED ACTUAL MILL CHEMICAL ANALYSIS REQUIRED PER SKD INDICATING A UNIQUE HEAT NUMBER
IN IMPERIAL NOMENCLATURE REQUIRED PER SKD INDICATING A UNIQUE HEAT NUMBER
COUNTRY OF MELT AND MANUFACTURE: INDONESIA

Indra Jaya
Q. Assurance

AL01202627

AL012026291

MATERIAL CONFORMS FOR ALLOY 5082 H-32 ALUMINUM
ASSOCIATION STANDARDS, ASTM B-209 AMB-4016